



**CATALOGUE
URBAN**



INDEX

Fluid Lighting System	6
Lighting Tracks	10
Linear Track Light	12
Belt Track Light	14
Curved Track Light	18
Lighting Tracks - Accessories	20
Linear & Curved Track Accessories	22
Belt Track Accessories	26
Lighting Lamps	32
Accent Spot Lights	34
Diffusion Light	36
Ambient Lights	41
High-Efficiency Ambient Lights	42
Ultra Slim Power Tracks	44
Flexible Crafted Track	46
Track System	48
Accessories	50
Linear Track	52
Track System	54
Connection Modules	55
Accessories	56
Lighting Lamps	58
Lighting Lamp System	60
Track Lights	62
Mounted-Spotlights	65
Wall Lamps	66
Grille Lights	68
Flood Lights	70
Anti Glare Lights	72
Type A	74
Type B	78
Type C	80
Suspended Lights	82

Fluid Lighting System







Lighting Tracks

Linear Tracks



Recessed Down Rail

Product code: E-LTL-RD
 Dimming Control: Non Dimmable
 DALI, 0 - 10V
 Voltage / Adapter: 48 V
 Product Length: 1 / 1.5 / 2 / 2.5 / 3 m

Colors: Black - White



Recessed Coved Rail

Product code: E-LTL-RC
 Dimming Control: Non Dimmable
 DALI, 0 - 10V
 Voltage / Adapter: 48 V
 Product Length: 1 / 1.5 / 2 / 2.5 / 3 m


Colors: Black - White



Surface Mounted Rail

Product code: E-LTL-SM
 Dimming Control: Non Dimmable
 DALI, 0 - 10V
 Voltage / Adapter: 48 V
 Product Length: 1 / 1.5 / 2 / 2.5 / 3 m

Colors: Black - White




Suspended Rail

Product code: E-LTL-S
 Dimming Control: Non Dimmable
 DALI, 0 - 10V
 Voltage / Adapter: 48 V
 Product Length: 1 / 1.5 / 2 / 2.5 / 3 m

Colors: Black - White




Belt Tracks



Belt Rail

Product code:	E-BTL
Dimming Control:	Non Dimmable DALI, 0 - 10V
Voltage / Adapter:	48 V
Material:	Polyester
Product Length:	Max 30 m

Colors: Black - Beige - Terra Red - Blue - Green



Simple connection


With its simple plug-in technology and ability to be shortened to length, each belt can handle numerous luminaires and offers unrivaled ease of installation and connection.






Simple connection

The belt has click-and-connect capability that allows it to be tightened or relaxed by simply clicking onto a buckle that is linked to each luminaire.




Curved Tracks




Curved Track 90°R3

Product code: E-CTL-90R30




Curved Track 45°R4

Product code: E-CTL-45R400




Curved Track 90°R6

Product code: E-CTL-90R600




Curved Track 45°R6

Product code: E-CTL-45R600




Curved Track 90°R8

Product code: E-CTL-90R800



Curved Track 180°R8

Product code: E-CTL-180R800



Curved Track 45°R8

Product code: E-CTL-45R800

Lighting Tracks Accessories

Linear & Curved Tracks Accessories



Input Power Connector

Product code: FO127USB2



Curve Track Adapter

Product code: FO127USB3



Regular Track Adapter

Product code: FO127USB4



Power Connector

Product code: FO127USB5



Intermediate Power Connector

Product code: FO127USB6



Inner Corner Connector


Product code: FO127USB7



90° Corner Connector

Product code: FO127USB8

Belt Tracks Accesories



Belt Fixed Adapter

Product code: FO126USB2




Track Power Connector

Product code: FO126USB3



Belt Ceiling Power Connector

Product code: FO126USB4



Terminal Box

Product code: FO126USB5



Belt Fixed Adapter

Product code: FO126USB2



Track Power Connector

Product code: FO126USB3



Belt Ceiling Power Connector

Product code: FO126USB4





Lighting Lamps

Accent Spot Lights



Accent Focus 7

Product code:	E-251DPC2
Watt:	7W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	385 lm 55 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°-45°
Product Size:	Ø40 x 163 x 110 mm


Colors: Black - Beige - Terra Red - Blue - Green



Accent Focus 15

Product code:	E-251DPC3
Watt:	15W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	825 lm 55 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°-45°
Product Size:	Ø50 x 163 x 130 mm


Colors: Black - Beige - Terra Red - Blue - Green



Accent 7

Product code:	E-252DPC2
Watt:	7W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	385 lm 55 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°/24°/38°
Product Size:	Ø40 x 163 x 105 mm

Colors: Black - Beige - Terra Red - Blue - Green



Accent 15

Product code:	E-252DPC3
Watt:	15W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	825 lm 55 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°/24°/38°
Product Size:	Ø50 x 163 x 128 mm

Colors: Black - Beige - Terra Red - Blue - Green




Diffusion Lights



Semi Sphere Directed 722

Product code:	E-253DPC2
Watt:	8W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	722 lm 90.25 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	18°-50°
Product Size:	Ø85 x 163 x 95 mm


Colors: Black - Beige - Terra Red - Blue - Green



Semi Sphere Directed 724

Product code:	E-253DPC3
Watt:	8W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	724 lm 90.5 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°/22°/36°
Product Size:	Ø85 x 163 x 105 mm


Colors: Black - Beige - Terra Red - Blue - Green







Semi Sphere Directed 523

Product code:	E-253DPC4
Watt:	8W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	523 lm 66.375 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	Flood
Product Size:	Ø85x 163 x 95 mm

Colors: Black - Beige - Terra Red - Blue - Green




Diffusion Lights



360° White Sphere 504

Product code:	E-254TNE2
Watt:	8W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	504 lm 63 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	Flood
Product Size:	Ø100 x 163 x 105 mm


Colors: Black - Beige - Terra Red - Blue - Green



360° White Sphere 756

Product code:	E-254TNE3
Watt:	12W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	756 lm 63 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	Flood
Product Size:	Ø200 x 163 x 205 mm

Colors: Black - Beige - Terra Red - Blue - Green



360° Earth Sphere 504

Product code:	E-255TNE2
Watt:	8W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	504 lm 63 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	Flood
Product Size:	Ø100 x 163 x 105 mm


Colors: Black - Beige - Terra Red - Blue - Green



360° Earth Sphere 756

Product code:	E-255TNE3
Watt:	12W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	756 lm 63 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	Flood
Product Size:	Ø200 x 163 x 205 mm

Colors: Black - Beige - Terra Red - Blue - Green





Diffusion Lights




Cone 844
 Product code: E-259TNE2
 Watt: 12W
 CRI: >90
 Temperature: LED 3000 K
 LED 4000 K
 LED 6000 K
 Lumens: 844 lm
 70.34 lm / W
 Dimming Control: DALI, 0 - 10V
 Product Size: Ø300 x 163 x 100 mm

Colors: Black - Beige - Terra Red - Blue - Green



Cone 848
 Product code: E-259TNE3
 Watt: 12W
 CRI: >90
 Temperature: LED 3000 K
 LED 4000 K
 LED 6000 K
 Lumens: 848 lm
 70.67 lm / W
 Dimming Control: DALI, 0 - 10V
 Product Size: Ø500 x 163 x 155 mm

Colors: Black - Beige - Terra Red - Blue - Green




Ambient Lights




Linear Light 10
 Product code: E-256TNE2
 Watt: 10W
 CRI: >90
 Temperature: LED 3000 K
 LED 4000 K
 LED 6000 K
 Lumens: 956 lm
 95.6 lm / W
 Dimming Control: DALI, 0 - 10V
 Beam Angle: 100°
 Product Size: 526 x 26 mm

Colors: Black - Beige - Terra Red - Blue - Green



Linear Light 20
 Product code: E-256TNE3
 Watt: 20W
 CRI: >90
 Temperature: LED 3000 K
 LED 4000 K
 LED 6000 K
 Lumens: 1908 lm
 95.4 lm / W
 Dimming Control: DALI, 0 - 10V
 Beam Angle: 100°
 Product Size: 1046 x 19 mm

Colors: Black - Beige - Terra Red - Blue - Green



High-Efficiency Ambient Lights



Grille Light 10

Product code:	E-257TNE2
Watt:	10W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	755 lm 75.5 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°/24°/36°
Product Size:	526 x 26 mm

Colors: Black - Beige - Terra Red - Blue - Green



Grille Light 20

Product code:	E-257TNE3
Watt:	20W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	1507 lm 75.35 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°/24°/36°
Product Size:	1046 x 19 mm


Colors: Black - Beige - Terra Red - Blue - Green



Folding Grille Light 10

Product code:	E-258TNE2
Watt:	10W
CRI:	>90
Temperature:	LED 3000 K LED 4000 K LED 6000 K
Lumens:	908 lm 90.8 lm / W
Dimming Control:	DALI, 0 - 10V
Beam Angle:	15°/24°/36°
Product Size:	180 x 45 mm

Colors: Black - Beige - Terra Red - Blue - Green



Ultra Slim Power Tracks




Flexible Crafted Track

Eliminate the limitations in the space caused by the usage of conventional and classic lines and tracks.

Consisting of a collection of movable artworks; this is the result of the lighting display as well as the lighting designer's brushwork for the space lighting design.


Track System



Flexible crafted Track10M

Product code: VU27-QE-21
 Watt: 200W (Max)
 Voltage: DC 24V
 Material: Hessian+ Copper
 Product Size: 16.5 mm x 3 mm x 10 m

Colors: Black - Green - Gray - Orange - Khaki




Flexible crafted Track 20M

Product code: VU27-QE-31
 Watt: 200W (Max)
 Voltage: DC 24V
 Material: Hessian+ Copper
 Product Size: 16.5 mm x 3 mm x 20 m

Colors: Black - Green - Gray - Orange - Khaki



Accessories



Connecting Luminaires to the track system.

Linker module

Product code: VU27-QEEL



Supplying the track system with power.

Input module


Product code: VU27-QETS



Holding and adjusting the track system direction.

Small fixed nodes

Product code: VU27-QEHL



Track system steering installation. Can be fixed the floor, wall and ceiling.

Large fixed nodes

Product code: VU27-QEZX



Suspending the track system.


Linker module

Product code: VU27-QEEL





Linear Track

A pleasant atmosphere may be created using an ultra-thin open-mounted track system and a variety of lighting schemes that can be freely combined.



Track System



Product code:	VU27-B-2N
Product Size:	1000 x 16.5 x 4.5 mm
Product code:	VU27-B-26N
Product Size:	1500 x 16.5 x 4.5 mm
Product code:	VU27-B-3N
Product Size:	2000 x 16.5 x 4.5 mm
Product code:	VU27-B-4N
Product Size:	3000 x 16.5 x 4.5 mm

Track System

Watt:	200W (Max)
Voltage:	DC 24V
Material:	Aluminum + Copper
Colors:	Black - White




Connection Modules




Straight Connection

Product code:	VU27-J
Product Size:	36.5 x 16.5 x 4.5 mm




L Connection

Product code:	VU27-M
Product Size:	26.5 x 26.5 x 4.5 mm



In-Out Connection

Product code:	VU27-MW
Product Size:	21.5 x 21.5 x 4.5 mm



T Connection

Product code:	VU27-U
Product Size:	36.5 x 26.5 x 4.5 mm



Cross Connection

Product code:	VU27-D
Product Size:	36.5 x 36.5 x 4.5 mm

Accessories



Integrated Power Supply 100W

Product code: VU27-211X
 Watt: 100W
 Voltage: DC 24V
 Material: Aluminum + Copper
 Product Size: 222 x 25 x 29 mm

Colors: Black - White



Integrated Power Supply 200W

Product code: VU27-311X
 Watt: 200W
 Voltage: DC 24V
 Material: Aluminum + Copper
 Product Size: 330 x 25 x 29 mm

Colors: Black - White



Cable Box

Product code: VU27-DYI
 Material: Aluminum + Copper
 Product Size: 100 x 25 x 29 mm

Colors: Black - White



Cable Box

Product code: VU27-DYI
 Material: Aluminum + Copper
 Product Size: 100 x 25 x 29 mm

Colors: Black - White




Input Module

Product code: VU27-TSNL
 Material: Aluminum + Copper
 Product Size: 54 x 25 x 19 mm

Colors: Black - White



Should be connected to an external transformer to supply the track system bar with power.



Direct Power Module

Product code: VU27-AK / SK
 Material: Aluminum + Copper
 Product Size: 54 x 25 x 19 mm x 2

Colors: Black - White




Used to transfer energy between two track system bars.

Lighting Lamps

Following to the diverse needs of space lighting plan, adaptable application of support and lights to realize the perfect lighting satisfaction.

Lighting Lamp System



Mode 1
White Light/Natural Light/Yellow Light.
Equipped with conventional integrated power supply.

Mode 1
Smart control dimming and color adjustment.
Used to match with the corresponding dimming color system integrated power supply.



Track Lights



Track Light 6 - 1

Product code:	VU27-M44
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	Ø33 x 85 mm

Colors: Black - White



Track Light 12 - 1

Product code:	VU27-M54
Watt:	12W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	Ø43 x 110 mm

Colors: Black - White



Track Light 6 - 2

Product code:	VU27-M44-3
Watt:	6W x 2
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	Ø33 x 85 mm

Colors: Black - White



Track Light 12 - 2

Product code:	VU27-M54-3
Watt:	12W x 2
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	Ø43 x 110 mm

Colors: Black - White




Track Lights



Frosted Glass Sphere

Product code:	VU27-C91
Watt:	3W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + Glass
Flicker Free:	<3%
Optic:	Glass
Beam Angle:	80°
Product Size:	Ø80 x 115 mm

Colors: Black - White



Spherical Track Light

Product code:	VU27-R91
Watt:	12W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	Ø80 x 148 mm

Colors: Black - White



Mounted-Spotlights



Surface Mounted Spotlight

Product code:	VU27-UE79
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	Ø68 x 68 mm

Colors: Black - White






Surface Mounted Floodlight

Product code:	VU27-UEG79
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	60°
Product Size:	Ø68 x 68 mm

Colors: Black - White



Wall Lamps



Adjustable Wall Lamp 12

Product code:	VU27-EQ-23G
Watt:	12W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	120°
Product Size:	227 x 80 x 47 mm

Colors: Black - White



Adjustable Wall Lamp 18

Product code:	VU27-EQ-29G
Watt:	18W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	120°
Product Size:	335 x 80 x 47 mm

Colors: Black - White



Eclipse Wall Lamp

Product code:	VU27-ZTCE
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PMMA
Beam Angle:	120°
Product Size:	Ø168 x 48 mm

Colors: Black - White



Grille Lights



Grille Light 6

Product code:	VU27-7U
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	115 x 25 x 29 mm

Colors: Black - White



Grille Light 12

Product code:	VU27-23U
Watt:	12W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	222 x 25 x 29 mm

Colors: Black - White





Grille Light 18

Product code:	VU27-29U
Watt:	18W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	330 x 25 x 29 mm

Colors: Black - White



Flood Lights



Flood Light 6

Product code:	VU27-7G
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	110°
Product Size:	115 x 25 x 29 mm

Flood Light 12

Product code:	VU27-23G
Watt:	12W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	110°
Product Size:	222 x 25 x 29 mm

Flood Light 18

Product code:	VU27-29G
Watt:	18W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	110°
Product Size:	330 x 25 x 29 mm

Colors: Black - White



Colors: Black - White



Colors: Black - White



Anti Glare Lights



Anti Glare Light 3

Product code:	VU27-4UN
Watt:	3W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	115 x 25 x 65 mm

Colors: Black - White



Anti Glare Light 6

Product code:	VU27-7UN
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	222 x 25 x 65 mm

Colors: Black - White



Anti Glare Light 9

Product code:	VU27-0UN
Watt:	9W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	330 x 25 x 65 mm

Colors: Black - White



Type A



Folding Grille Light 6

Product code:	VU27-AE7
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	115 x 25 x 78 mm

Colors: Black - White



Folding Grille Light 12

Product code:	VU27-AE23
Watt:	12W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	222 x 25 x 78 mm

Colors: Black - White



Folding Grille Light 18

Product code:	VU27-AE29
Watt:	18W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	330 x 25 x 78 mm

Colors: Black - White




Type A



Folding Flood Light 6

Product code:	VU27-AE7
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	110°
Product Size:	115 x 25 x 78 mm

Colors: Black - White



Folding Flood Light 12

Product code:	VU27-AE23
Watt:	12W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	110°
Product Size:	222 x 25 x 78 mm

Colors: Black - White



Folding Flood Light 18

Product code:	VU27-AE29
Watt:	18W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion
Beam Angle:	110°
Product Size:	330 x 25 x 78 mm

Colors: Black - White



Type B



Folding Grille Light 1

Product code:	VU27-AE7U-M44
Watt:	6W x 2
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	222 x 25 x 130 mm

Colors: Black - White



Folding Grille Light 2

Product code:	VU27-AE7U-M44-3
Watt:	6W x 3
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	330 x 25 x 130 mm

Colors: Black - White



Folding Flood Light 1

Product code:	VU27-AE7G-M44
Watt:	6W x 2
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion + Lens
Beam Angle:	110°
Product Size:	222 x 25 x 130 mm

Colors: Black - White



Folding Flood Light 2

Product code:	VU27-AE7G-M44-3
Watt:	6W x 3
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion + Lens
Beam Angle:	110°
Product Size:	330 x 25 x 130 mm

Colors: Black - White



Type C



Anti Glare Grille Light 3

Product code:	VU27-AE7U-4UN
Watt:	6W + 3W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	222 x 25 x 78 mm

Colors: Black - White



Anti Glare Grille Light 6

Product code:	VU27-AE7U-7UN
Watt:	6W + 6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	330 x 25 x 78 mm

Colors: Black - White



Anti Glare Flood Light 3 - Series A

Product code:	VU27-AE7G-4UN
Watt:	6W + 3W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion + Lens
Beam Angle:	110° + 24°
Product Size:	222 x 25 x 78 mm

Colors: Black - White



Anti Glare Flood Light 6 - Series A

Product code:	VU27-AE7G-7UN
Watt:	6W + 6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	PC Diffusion + Lens
Beam Angle:	110° + 24°
Product Size:	330 x 25 x 78 mm

Colors: Black - White



Suspended Lights



Conic Chandelier

Product code:	VU27-NE01
Watt:	6W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Lens
Beam Angle:	24°
Product Size:	Ø90 x 72 mm

Colors: Black - White



Silicone Light Tube 1

Product code:	VU27-SH2111
Watt:	14W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Silica Gel
Beam Angle:	360°
Product Size:	Ø22 x 1000 mm

Colors: Black - White



Silicone Light Tube 2

Product code:	VU27-SH3111
Watt:	28W
CRI:	>90
Voltage:	DC 24V
Material:	Aluminum + PC
Flicker Free:	<3%
Optic:	Silica Gel
Beam Angle:	360°
Product Size:	Ø22 x 1000 mm

Colors: Black - White



Pesaro Luce

Trade Mark of Italgencia Srl

Via degli Abeti, 346
61122 Pesaro (PU) - ITALY
cf - p.iva 02666340415

www.pesaroluce.it
info@pesaroluce.it



pesaroluce